

2022

CARBON VANES



Cross reference - 2022

Becker, Busch, DVP,
Elmo Rietschle, Orion

INDEX

Becker 3 - 10

Busch 11

DVP 12

Elmo Rietschle 13 - 16

Orion 17 - 18



Pump Model	Set	Dimensions	Vane Reference	Asein Ref.
DT 1.5	10	20-15-3 mm	WN 124-080 90130100010	O/R
DT 10 Serie ...A	8	63-34-4 mm	WN 124-102 90130400008	O/R
DT 10 Serie B...	8	55-27-3 mm	WN 124-003 90132700008	E0552738
DT 16	8	63-34-4 mm	WN 124-102 90130400008	O/R
DT 25	8	92-38-4 mm	WN 124-104 90130800008	O/R
DT 3.10	7	55-27-3 mm	WN 124-003 90132700007	E0552737
DT 3.16	7	63-35.5-4 mm	WN 124-120 90134700007	B0633547
DT 3.25	7	63-43-4 mm	WN 124-162 90134900007	B0634347
DT 3.3	5	33-16.7-3 mm	WN 124-183 90136100005	O/R
DT 3.40	7	95-43-4 mm	WN 124-161 90135200007	B0954347
DT 3.6	7	40-24-3 mm	WN 124-082 90130300007	O/R
DT 3.6/08 Serie ...A	5	40-24-3 mm	WN 124-082 90130300005	O/R
DT 3.6/08 Serie B...	8	40-24-3 mm	WN 124-082 90130300008	E0402438
DT 3.60	7	115-49-4 mm	WN 124-195 90137200007	E1154947
DT 4.10	7	55-27-3 mm	WN 124-003 90132700007	E0552737
DT 4.16	7	63-35.5-4 mm	WN 124-120 90134700007	B0633547
DT 4.16 K/0-06	7	63-35.5-4 mm	WN 124-120 90134700007	B0633547
DT 4.16/05-51	7	63-35.5-4 mm	WN 124-120 90134700007	B0633547
DT 4.2	5	32-16-3 mm	WN 124-219 90138700005	E0321635
DT 4.25	7	63-43-4 mm	WN 124-162 90134900007	B0634347
DT 4.25 K/0-06-A	7	63-43-4 mm	WN 124-162 90134900007	B0634347
DT 4.25 K-A	7	63-43-4 mm	WN 124-162 90134900007	B0634347
DT 4.25 K-C	7	63-43-4 mm	WN 124-162 90134900007	B0634347
DT 4.25/0-80-B	7	63-43-4 mm	WN 124-162 90134900007	B0634347
DT 4.25/0-80-C	7	63-43-4 mm	WN 124-162 90134900007	B0634347
DT 4.3	5	32-16-3 mm	WN 124-219 90138700005	E0321635
DT 4.4	5	32-16-3 mm	WN 124-219 90138700005	E0321635
DT 4.40	7	95-43-4 mm	WN 124-161 90135200007	B0954347
DT 4.40 (02)	7	95-43-4 mm	WN 124-239 90135202007	B0954347
DT 4.40 K/0-400 A	7	95-43-4 mm	WN 124-161 90135200007	B0954347
DT 4.40 K/0-400 C	7	95-43-4 mm	WN 124-161 90135200007	B0954347
DT 4.40 K-A	7	95-43-4 mm	WN 124-161 90135200007	B0954347
DT 4.40 K-C	7	95-43-4 mm	WN 124-161 90135200007	B0954347
DT 4.40/0-80 A	7	95-43-4 mm	WN 124-161 90135200007	B0954347
DT 4.40/0-80 C	7	95-43-4 mm	WN 124-161 90135200007	B0954347
DT 4.40/0-80-B	7	63-43-4 mm	WN 124-162 90134900007	B0634347
DT 4.40K/5-63	7	95-43-4 mm	WN 124-237 90139100007	B0954347
DT 4.6	5	41-18.5-3 mm	WN 124-220 90138800005	E4118535
DT 4.8	5	41-18.5-3 mm	WN 124-220 90138800005	E4118535

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.
DT 40	7	105-39-4 mm	WN 124-116 90133100007	O/R
DT 6	8	40-24-3 mm	WN 124-082 90130300008	E0402438
DTLF 2.200	5	355-65-5 mm	WN 124-196 90136701005	E3556555
DTLF 2.250	5	355-65-5 mm	WN 124-196 90136701005	E3556555
DTLF 2.360	5	355-64-5.3 mm	WN 124-250 90132500005	O/R
DTLF 2.400	8	220-88-6 mm	WN 124-205 90137301008	E2208868
DTLF 2.500	8	220-88-6 mm	WN 124-205 90137301008	E2208868
DTLF 200	5	355-65-5 mm	WN 124-196 90136701005	E3556555
DTLF 250	5	355-65-5 mm	WN 124-196 90136701005	E3556555
DTLF 360	5	355-65-5 mm	WN 124-196 90136701005	E3556555
DTLF 400	10	220-88-6 mm	WN 124-205 90137301010	E22088610
DTLF 500	10	220-88-6 mm	WN 124-205 90137301010	E22088610
DVT 100	8	227-45-4 mm	WN 124-090 90131600008	E2274548
DVT 140	8	265-45-4 mm	WN 124-094 90131700008	O/R
DVT 2.100	8	250-39-4 mm	WN 124-032 90133300008	B2503944 (x2)
DVT 2.140	7	240-48-4 mm	WN 124-031 90133400007	B2404847
DVT 2.60	8	135-39-4 mm	WN 124-033 90132900008	E1353948
DVT 2.80	8	170-39-4 mm	WN 124-034 90133000008	B1703944 (x2)
DVT 3.100	7	250-39-4 mm	WN 124-032 90133300007	B2503947
DVT 3.100-D	7	250-39-4 mm	WN 124-032 90133300007	B2503947
DVT 3.100-W	7	250-39-4 mm	WN 124-032 90133300007	B2503947
DVT 3.140	7	240-48-4 mm	WN 124-031 90133400007	B2404847
DVT 3.140-D	7	240-48-4 mm	WN 124-031 90133400007	B2404847
DVT 3.140-W	7	240-48-4 mm	WN 124-031 90133400007	B2404847
DVT 3.60	7	170-39-4 mm	WN 124-034 90133000007	B1703947
DVT 3.60-D	7	170-39-4 mm	WN 124-034 90133000007	B1703947
DVT 3.60-W	7	170-39-4 mm	WN 124-034 90133000007	B1703947
DVT 3.80	7	170-39-4 mm	WN 124-034 90133000007	B1703947
DVT 3.80-C	7	170-39-4 mm	WN 124-034 90133000007	B1703947
DVT 3.80-X	7	170-39-4 mm	WN 124-034 90133000007	B1703947
DVT 70	8	200-34-4 mm	WN 124-089 90131500008	E2003448
DVTLF 2.250	5	355-65-5 mm	WN 124-196 90136701005	E3556555
DVTLF 2.500	8	220-88-6 mm	WN 124-205 90137301008	E2208868
DVTLF 250	5	355-65-5 mm	WN 124-196 90136701005	E3556555
DVX 3.100	7	250-37-4.3 mm	WN 124-253 90140200007 (X-series)	O/R
DVX 3.140	7	240-47-4.3 mm	WN 124-249 90132400007 (X-series)	O/R
DVX 3.60	7	170-37-4.3 mm	WN 124-252 90140100007 (X-series)	O/R
DVX 3.80	7	170-37-4.3 mm	WN 124-252 90140100007 (X-series)	O/R
DVXLF 2.200	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R

New

New

New

Coloured blue = in STOCK 24h | O/R = on request

For Schmalz, Republic, other brands, or other models, please contact us

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.
DVXLF 2.200-A	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
DVXLF 2.250	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
DVXLF 2.250-A	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
DVXLF 2.400	8	220-87-6.2 mm	WN 124-251 90132510008 (X-series)	O/R
DVXLF 2.500	8	220-87-6.2 mm	WN 124-251 90132510008 (X-series)	O/R
DVXLF 250	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
DVXLF 400	10	220-87-6.2 mm	WN 124-251 90132510010 (X-series)	O/R
DVXLF 500	10	220-87-6.2 mm	WN 124-251 90132510010 (X-series)	O/R
DX 4.10	7	55-26-3 mm	WN 124-246 90139800007 (X-series)	O/R
DX 4.16	7	63-34-4.3 mm	WN 124-243 90139600007 (X-series)	O/R
DX 4.25	7	63-41-4.3 mm	WN 124-247 90139900007 (X-series)	O/R
DX 4.25 K	7	63-41-4.3 mm	WN 124-247 90139900007 (X-series)	O/R
DX 4.25 K-C	7	63-41-4.3 mm	WN 124-247 90139900007 (X-series)	O/R
DX 4.25/0-80	7	63-41-4.3 mm	WN 124-247 90139900007 (X-series)	O/R
DX 4.25/0-80 C	7	63-41-4.3 mm	WN 124-247 90139900007 (X-series)	O/R
DX 4.40	7	95-41-4.3 mm	WN 124-244 90139700007 (X-series)	O/R
DX 4.40 K	7	95-41-4.3 mm	WN 124-244 90139700007 (X-series)	O/R
DX 4.40 K-C	7	95-41-4.3 mm	WN 124-244 90139700007 (X-series)	O/R
DX 4.40/0-80	7	95-41-4.3 mm	WN 124-244 90139700007 (X-series)	O/R
DX 4.40/0-80 C	7	95-41-4.3 mm	WN 124-244 90139700007 (X-series)	O/R
DX 4.40/0-90 B	7	95-41-4.3 mm	WN 124-244 90139700007 (X-series)	O/R
DXLF 2.200	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
DXLF 2.200-A	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
DXLF 2.250	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
DXLF 2.250-A	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
DXLF 2.400	8	220-87-6.2 mm	WN 124-251 90132510008 (X-series)	O/R
DXLF 2.500	8	220-87-6.2 mm	WN 124-251 90132510008 (X-series)	O/R
DXLF 200	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
DXLF 250	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
DXLF 400	10	220-87-6.2 mm	WN 124-251 90132510010 (X-series)	O/R
DXLF 500	10	220-87-6.2 mm	WN 124-251 90132510010 (X-series)	O/R
EPV 100/100	8	133/266-62-6 mm	WN 124-241 WN 124-242 90139400016	O/R
EPV 40/40	8	240-41.5-5 mm	WN 124-235 90138900008	O/R
KA 1.360	4	355-60-4 mm	WN 124-117 90132800004	O/R
KDT 2.100	4	250-39-4 mm	WN 124-032 90133300004	B2503944
KDT 2.100/0-52	4	250-39-3.8 mm	WN 124-212 90138000004	O/R
KDT 2.140	4	240-48-4 mm	WN 124-031 90133400004	B2404844
KDT 2.140/0-52	4	240-48-3.8 mm	WN 124-213 90138100004	O/R
KDT 2.60	4	135-39-4 mm	WN 124-033 90132900004	E1353944

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.
KDT 2.60/0-52	4	135-39-3.8 mm	WN 124-210 90137800004	O/R
KDT 2.80	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KDT 2.80/0-52	4	170-39-3.8 mm	WN 124-211 90137900004	O/R
KDT 3.100	4	250-39-4 mm	WN 124-032 90133300004	B2503944
KDT 3.100/0-52	4	250-39-3.8 mm	WN 124-212 90138000004	O/R
KDT 3.100/6-29	7	250-39-3.8 mm	WN 124-212 90138000007	O/R
KDT 3.100/6-71	7	250-39-3.8 mm	WN 124-212 90138000007	O/R
KDT 3.140	4	240-48-4 mm	WN 124-031 90133400004	B2404844
KDT 3.140/0-52	4	240-48-3.8 mm	WN 124-213 90138100004	O/R
KDT 3.140/6-29	7	240-48-3.8 mm	WN 124-213 90138100007	O/R
KDT 3.140/6-71	7	240-48-3.8 mm	WN 124-213 90138100007	O/R
KDT 3.60	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KDT 3.60/0-29	7	170-37-4 mm	WN 124-252 90140100007	O/R
KDT 3.60/0-52	4	170-39-3.8 mm	WN 124-211 90137900004	O/R
KDT 3.60/6-29	7	170-39-3.8 mm	WN 124-211 90137900007	O/R
KDT 3.60-D	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KDT 3.60-W	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KDT 3.80	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KDT 3.80/0-52	4	170-39-3.8 mm	WN 124-211 90137900004	O/R
KDT 3.80/6-87 D	7	170-39-4 mm	WN 124-034 90133000007	B1703947
KDT 3.80-D	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KDT 3.80-W	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KDX 3.100	4	250-37-4.3 mm	WN 124-253 90140200004 (X-series)	O/R
KDX 3.140	4	240-47-4.3 mm	WN 124-249 90132400004 (X-series)	O/R
KDX 3.60	4	170-37-4.3 mm	WN 124-252 90140100004 (X-series)	O/R
KDX 3.80	4	170-37-4.3 mm	WN 124-252 90140100004 (X-series)	O/R
KL 1.100	4	220-45-4 mm	WN 124-140 90133900004	O/R
KL 1.140	4	240-48-4 mm	WN 124-031 90133400004	B2404844
KL 1.70	4	200-40-4 mm	WN 124-156 90133800004	O/R
KLP 1.140/0-26	4	240-40-4 mm	WN 124-079 90134600004	O/R
KVT 100	8	227-45-4 mm	WN 124-090 90131600008	E2274548
KVT 2.100	4	250-39-4 mm	WN 124-032 90133300004	B2503944
KVT 2.140	4	240-48-4 mm	WN 124-031 90133400004	B2404844
KVT 2.60	4	135-39-4 mm	WN 124-033 90132900004	E1353944
KVT 2.80	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KVT 3.100	4	250-39-4 mm	WN 124-032 90133300004	B2503944
KVT 3.140	4	240-48-4 mm	WN 124-031 90133400004	B2404844
KVT 3.60	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KVT 3.60-B	4	170-39-4 mm	WN 124-034 90133000004	B1703944

Coloured blue = in STOCK 24h | O/R = on request

For Schmalz, Republic, other brands, or other models, please contact us

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.
KVT 3.60-C	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KVT 3.60-D	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KVT 3.60-W	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KVT 3.80	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KVT 3.80-C	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KVT 3.80-X	4	170-39-4 mm	WN 124-034 90133000004	B1703944
KVX 3.100	4	250-37-4.3 mm	WN 124-253 90140200004 (X-series)	O/R
KVX 3.140	4	240-47-4.3 mm	WN 124-249 90132400004 (X-series)	O/R
KVX 3.60	4	170-37-4.3 mm	WN 124-252 90140100004 (X-series)	O/R
KVX 3.80	4	170-37-4.3 mm	WN 124-252 90140100004 (X-series)	O/R
Picchio 2200	4	170-39-4 mm	WN 124-034 90133000004	B1703944
Picchio 2200-C	4	170-39-4 mm	WN 124-034 90133000004	B1703944
T 25	8	92-38-4 mm	WN 124-104 90130800008	O/R
T 3.10	7	55-27-3 mm	WN 124-003 90132700007	E0552737
T 3.16	7	63-35.5-4 mm	WN 124-120 90134700007	B0633547
T 3.16 DSK	7	63-35.5-4 mm	WN 124-120 90134700007	B0633547
T 3.25	7	63-43-4 mm	WN 124-162 90134900007	B0634347
T 3.25 DSK	7	63-43-4 mm	WN 124-162 90134900007	B0634347
T 3.40	7	95-43-4 mm	WN 124-161 90135200007	B0954347
T 3.40 DSK	7	95-43-4 mm	WN 124-161 90135200007	B0954347
T 3.41DSK	7	95-43-4 mm	WN 124-161 90135200007	B0954347
T 3.6/08-49	5	40-24-3 mm	WN 124-082 90130300005	O/R
T 3.60 DSK	7	115-49-4 mm	WN 124-195 90137200007	E1154947
T 4.10	7	55-27-3 mm	WN 124-003 90132700007	E0552737
T 4.10 DV	7	55-27-3 mm	WN 124-003 90132700007	E0552737
T 4.16	7	63-35.5-4 mm	WN 124-120 90134700007	B0633547
T 4.16 DV	7	63-35.5-4 mm	WN 124-120 90134700007	B0633547
T 4.25	7	63-43-4 mm	WN 124-162 90134900007	B0634347
T 4.25 DSK	7	63-43-4 mm	WN 124-162 90134900007	B0634347
T 4.25 DV	7	63-43-4 mm	WN 124-162 90134900007	B0634347
T 4.40	7	95-43-4 mm	WN 124-161 90135200007	B0954347
T 4.40 (02)	7	95-43-4 mm	WN 124-239 90135202007	B0954347
T 4.40 DSK	7	95-43-4 mm	WN 124-161 90135200007	B0954347
TA 250	4	355-60-4 mm	WN 124-117 90132800004	O/R
TLF 2.200	5	355-65-5 mm	WN 124-196 90136701005	E3556555
TLF 2.200-A	5	355-65-5 mm	WN 124-196 90136701005	E3556555
TLF 2.250	5	355-65-5 mm	WN 124-196 90136701005	E3556555
TLF 2.250-A	5	355-65-5 mm	WN 124-196 90136701005	E3556555
TLF 2.360	5	355-65-5 mm	WN 124-196 90136701005	E3556555

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.	
TLF 2.360-A	5	355-65-5 mm	WN 124-196 90136701005	E3556555	
TLF 2.400	8	220-88-6 mm	WN 124-205 90137301008	E2208868	New
TLF 2.500	8	220-88-6 mm	WN 124-205 90137301008	E2208868	New
TLF 200	5	355-65-5 mm	WN 124-196 90136701005	E3556555	
TLF 250	5	355-65-5 mm	WN 124-196 90136701005	E3556555	
TLF 360	5	355-65-5 mm	WN 124-196 90136701005	E3556555	
TLF 400	10	220-88-6 mm	WN 124-205 90137301010	E22088610	
TLF 500	10	220-88-6 mm	WN 124-205 90137301010	E22088610	
TW 500 "E"	8	165/275-80-4 mm	WN 124-097 90135000008	O/R	
TW 500 bis "D"	16	220-80-4 mm	WN 124-097 90132100016	O/R	
TW 501	16	220-80-6 mm	WN 124-163 90135100016	O/R	
TW 800	8	280-87-8 mm	WN 124-047 90135300008	O/R	
VT 1.5	10	20-15-3 mm	WN 124-080 90130100010	O/R	
VT 10 Serie ...A	8	63-34-4 mm	WN 124-102 90130400008	O/R	
VT 10 Serie B...	8	55-27-3 mm	WN 124-003 90132700008	E0552738	
VT 16	8	63-34-4 mm	WN 124-102 90130400008	O/R	
VT 25	8	92-38-4 mm	WN 124-104 90130800008	O/R	
VT 3.10	7	55-27-3 mm	WN 124-003 90132700007	E0552737	
VT 3.16	7	63-35.5-4 mm	WN 124-120 90134700007	B0633547	
VT 3.25	7	63-43-4 mm	WN 124-162 90134900007	B0634347	
VT 3.3	5	33-16.7-3 mm	WN 124-183 90136100005	O/R	
VT 3.40	7	95-43-4 mm	WN 124-161 90135200007	B0954347	
VT 3.40 DSK	7	95-43-4 mm	WN 124-161 90135200007	B0954347	
VT 3.6	7	40-24-3 mm	WN 124-082 90130300007	O/R	
VT 3.6/08 Serie ...A	5	40-24-3 mm	WN 124-082 90130300005	O/R	
VT 3.6/08 Serie B...	8	40-24-3 mm	WN 124-082 90130300008	E0402438	
VT 3.60	7	115-49-4 mm	WN 124-195 90137200007	E1154947	
VT 4.10	7	55-27-3 mm	WN 124-003 90132700007	E0552737	
VT 4.10 DV	7	55-27-3 mm	WN 124-003 90132700007	E0552737	
VT 4.16	7	63-35.5-4 mm	WN 124-120 90134700007	B0633547	
VT 4.16 DV	7	63-35.5-4 mm	WN 124-120 90134700007	B0633547	
VT 4.2	5	32-16-3 mm	WN 124-219 90138700005	E0321635	
VT 4.25	7	63-43-4 mm	WN 124-162 90134900007	B0634347	
VT 4.25 DSK	7	63-43-4 mm	WN 124-162 90134900007	B0634347	
VT 4.3	5	32-16-3 mm	WN 124-219 90138700005	E0321635	
VT 4.4	5	32-16-3 mm	WN 124-219 90138700005	E0321635	
VT 4.40	7	95-43-4 mm	WN 124-161 90135200007	B0954347	
VT 4.40 (02)	7	95-43-4 mm	WN 124-239 90135202007	B0954347	
VT 4.40 DSK	7	95-43-4 mm	WN 124-161 90135200007	B0954347	

Coloured blue = in STOCK 24h | O/R = on request

For Schmalz, Republic, other brands, or other models, please contact us

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.
VT 4.40/0-400	7	95-43-4 mm	WN 124-161 90135200007	B0954347
VT 4.40/0-400 C	7	95-43-4 mm	WN 124-161 90135200007	B0954347
VT 4.40/0-90 Serie ...A	7	95-43-4 mm	WN 124-161 90135200007	B0954347
VT 4.40/0-90 Serie B...	7	95-41-4 mm	WN 124-244 90139700007	O/R
VT 4.6	5	41-18.5-3 mm	WN 124-220 90138800005	E4118535
VT 4.8	5	41-18.5-3 mm	WN 124-220 90138800005	E4118535
VT 40	7	105-39-4 mm	WN 124-116 90133100007	O/R
VT 6	8	40-24-3 mm	WN 124-082 90130300008	E0402438
VTLF 2.200	5	355-65-5 mm	WN 124-196 90136701005	E3556555
VTLF 2.250	5	355-65-5 mm	WN 124-196 90136701005	E3556555
VTLF 2.360	5	355-64-5.3 mm	WN 124-250 90132500005	O/R
VTLF 2.400	8	220-88-6 mm	WN 124-205 90137301008	E2208868 New
VTLF 2.500	8	220-88-6 mm	WN 124-205 90137301008	E2208868 New
VTLF 200	5	355-65-5 mm	WN 124-196 90136701005	E3556555
VTLF 200 (6 mm)	5	355-65-6 mm	WN 124-232 90131800005	O/R
VTLF 250 (5 mm)	5	355-65-5 mm	WN 124-196 90136701005	E3556555
VTLF 250 (6 mm)	5	355-65-6 mm	WN 124-232 90131800005	O/R
VTLF 360 (5 mm)	5	355-65-5 mm	WN 124-196 90136701005	E3556555
VTLF 400	10	220-88-6 mm	WN 124-205 90137301010	E22088610
VTLF 500	10	220-88-6 mm	WN 124-205 90137301010	E22088610
VTW 800	8	280-87-8 mm	WN 124-047 90135300008	O/R
VX 4.10	7	55-26-3 mm	WN 124-246 90139800007 (X-series)	O/R
VX 4.16	7	63-34-4.3 mm	WN 124-243 90139600007 (X-series)	O/R
VX 4.25	7	63-41-4.3 mm	WN 124-247 90139900007 (X-series)	O/R
VX 4.25-C	7	63-41-4.3 mm	WN 124-247 90139900007 (X-series)	O/R
VX 4.40	7	95-41-4.3 mm	WN 124-244 90139700007 (X-series)	O/R
VX 4.40 C	7	95-41-4.3 mm	WN 124-244 90139700007 (X-series)	O/R
VXLF 2.200	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
VXLF 2.200-A	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
VXLF 2.250	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
VXLF 2.250-A	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
VXLF 2.360	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
VXLF 2.400	8	220-87-6.2 mm	WN 124-251 90132510008 (X-series)	O/R
VXLF 2.500	8	220-87-6.2 mm	WN 124-251 90132510008 (X-series)	O/R
VXLF 200	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
VXLF 250	5	355-64-5.3 mm	WN 124-250 90132500005 (X-series)	O/R
VXLF 400	10	220-87-6.2 mm	WN 124-251 90132510010 (X-series)	O/R
VXLF 500	10	220-87-6.2 mm	WN 124-251 90132510010 (X-series)	O/R
X 4.10	7	55-26-3 mm	WN 124-246 90139800007 (X-series)	O/R

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.
X 4.16	7	63-34-4.3 mm	WN 124-243 90139600007 (X-series)	0/R
X 4.16 DV	7	63-34-4.3 mm	WN 124-243 90139600007 (X-series)	0/R
X 4.25	7	63-41-4.3 mm	WN 124-247 90139900007 (X-series)	0/R
X 4.25 DSK	7	63-41-4.3 mm	WN 124-247 90139900007 (X-series)	0/R
X 4.25 DSK-C	7	63-41-4.3 mm	WN 124-247 90139900007 (X-series)	0/R
X 4.40	7	95-41-4.3 mm	WN 124-244 90139700007 (X-series)	0/R
X 4.40 DSK	7	95-41-4.3 mm	WN 124-244 90139700007 (X-series)	0/R
X 4.40 DSK C	7	95-41-4.3 mm	WN 124-244 90139700007 (X-series)	0/R

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.
DC 0025 C	7	68.5-44-4 mm	0722533536	E6854447
DC 0040 C	7	95-44-4 mm	0722522488 0722534079	E0954447
DC 0063 B	7	135-44-4 mm	0722000016	O/R
DC 0080 B	7	170-44-4 mm	0722000017	O/R
DC 0100 C	8	249.5-40-3.8 mm	0722500122	O/R
DC 0140 C	8	239.5-45-3.8 mm	0722500050	O/R
SD 1005 C	3	33-26-4 mm	0722133118	O/R
SD 1006 B	4	55-25-4 mm	0722000065	O/R
SD 1008 C	3	33-26-4 mm	0722133118	O/R
SD 1010 B	7	55-27-3 mm	0722000242	E0552737
SD 1010 C	7	40-36.5-4 mm	0722533535	E4036547
SD 1016 B	7	63-35-4 mm	0722522489 0722000489	E0633547
SD 1016 C	7	63-35-4 mm	0722522489 0722000489	E0633547
SD 1025 B	7	98-36.5-4 mm	0722521014 0722000189	O/R
SD 1025 C	7	68.5-44-4 mm	0722533536	E6854447
SD 1040 B	7	95-44-4 mm	0722522488 0722534079	E0954447
SD 1040 C	7	95-44-4 mm	0722522488 0722534079	E0954447
SD 1063 B	4	135-44-4 mm	0722000016	O/R
SD 1080 B	4	170-44-4 mm	0722000017	O/R
SD 1100 C	4	249.5-40-3.8 mm	0722500122	O/R
SD 1140 C	4	239.5-45-3.8 mm	0722500050	O/R
SV 1002 B	4	35-26-3 mm	0722000066	O/R
SV 1003 D	3	20-19-3 mm	0722104640	O/R
SV 1005 C	3	33-26-4 mm	0722133118	O/R
SV 1005 D	3	28-22-3 mm	0722141943	O/R
SV 1006 B	4	55-25-4 mm	0722000065	O/R
SV 1008 A	3	27-34-4 mm	0722109143	O/R
SV 1008 C	3	33-26-4 mm	0722133118	O/R
SV 1010 B	7	55-27-3 mm	0722000242	E0552737
SV 1010 C	7	40-36.5-4 mm	0722533535	E4036547
SV 1016 B	7	63-35-4 mm	0722522489 0722000489	E0633547
SV 1016 C	7	63-35-4 mm	0722522489 0722000489	E0633547
SV 1025 B	7	98-36.5-4 mm	0722521014 0722000189	O/R
SV 1025 C	7	68.5-44-4 mm	0722533536	E6854447
SV 1040 B	7	95-44-4 mm	0722522488 0722534079	E0954447
SV 1040 C	7	95-44-4 mm	0722522488 0722534079	E0954447
SV 1063 B	4	135-44-4 mm	0722000016	O/R
SV 1080 B	4	170-44-4 mm	0722000017	O/R
SV 1100 C	4	249.5-40-3.8 mm	0722500122	O/R
SV 1140 C	4	239.5-45-3.8 mm	0722500050	O/R

New

New

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.	
CA 16	4	75-35-4 mm	3301011	0/R	
CB 100 (9715003)	4	260-46-4 mm	3301021	0/R	
CB 140 (9715004)	4	260-46-4 mm	3301021	0/R	
CB 16 (9701024)	4	75-35-4 mm	3301011	0/R	
CB 25 (9701025)	4	85-42-4 mm	3301016	E0854244	New
CB 40 (9701026)	4	100-43-4 mm	3301012	E1004344	
CB 60 (9715001)	4	160-46-4 mm	3301020	0/R	
CB 80 (9715002)	4	160-46-4 mm	3301020	0/R	
CC 100 (9715015)	4	260-46-4 mm	3301021	0/R	
CC 140 (9715016)	4	260-46-4 mm	3301021	0/R	
CC 60 (9715013)	4	160-46-4 mm	3301020	0/R	
CC 80 (9715014)	4	160-46-4 mm	3301020	0/R	
SA 16	4	75-35-4 mm	3301011	0/R	
SA 3 (9801021)	3	20-22-3 mm	3301017	0/R	
SB 10 (9801028)	6	60-25-4 mm	3301002	0/R	
SB 100 (9815003)	4	260-46-4 mm	3301021	0/R	
SB 12 (9801029)	6	60-25-4 mm	3301002	0/R	
SB 140 (9815004)	4	260-46-4 mm	3301021	0/R	
SB 16 (9801024)	4	75-35-4 mm	3301011	0/R	
SB 25 (9801025)	4	85-42-4 mm	3301016	E0854244	New
SB 40 (9801026)	4	100-43-4 mm	3301012	E1004344	
SB 6 (9801023)	4	29-26-3 mm	3301018	0/R	
SB 60	4	160-46-4 mm	3301020	0/R	
SB 80	4	160-46-4 mm	3301020	0/R	
SC 100 (9815011)	4	260-46-4 mm	3301021	0/R	
SC 140 (9815012)	4	260-46-4 mm	3301021	0/R	
SC 60 (9815009)	4	160-46-4 mm	3301020	0/R	
SC 80 (9815010)	4	160-46-4 mm	3301020	0/R	
		160-43-5 mm	3301026	0/R	
		260-43-5 mm	3301027	0/R	

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.
CLFT 100	8	230-40-5 mm	507110	E2304054 (x2)
CLFT 101	8	230-40-5 mm	507110	E2304054 (x2)
CLFT 101 DV	8	230-40-5 mm	507110	E2304054 (x2)
CLFT 141 DV	8	230-47-6 mm	524142	O/R
CLFT 141 V	8	230-47-6 mm	524142	O/R
CLFT 25	8	120-27-4 mm	507106	O/R
CLFT 26	8	120-27-4 mm	507106	O/R
CLFT 40	8	190-27-4 mm	507107 524007	O/R
CLFT 41 DV	8	190-27-4 mm	507107 524007	O/R
CLFT 60 DV	8	200-34-4 mm	524009 507108	E2003444 (x2)
CLFT 61 DV	8	200-34-4 mm	524009 507108	E2003444 (x2)
DFT 100	4	230-40-5 mm	524002	E2304054
DFT 140	4	180-55-6 mm	524003 523556	O/R
DFT 180	4	240-55-6 mm	524004 523557	O/R
DFT 250	4	320-55-6 mm	523399	O/R
DFT 40	4	190-27-4 mm	507107 524007	O/R
DFT 60	4	200-34-4 mm	524009 507108	E2003444
DFT 80	4	180-40-5 mm	524011 520201 507109	O/R
DLT 10	6	60-31-4 mm	513455	E0603146
DLT 15	6	55-39-4 mm	513702	E0553946
DLT 25	6	85-39-4 mm	513431	B0853946
DLT 40	7	85-47-4 mm	518943	B0854747
DLT 6	6	40-31-4 mm	513878	O/R
DLT 60	7	95-47-4 mm	526577	O/R
DTA 100	6	215-52-5 mm	525977 525351 523889	E2155256
DTA 140	6	260-52-5 mm	525421 526627 523885	B2605256
DTA 40	6	100-52-5 mm	523777 528802	B1005256
DTA 50	6	160-37-4 mm	523880	E1603746
DTA 60	6	100-52-5 mm	523777 528802	B1005256
DTA 80	6	130-52-5 mm	526886 523851 523778	B1305256
DTB 180	5	320-69-5 mm	526098 527958 526623	E3206955
DTB 250	5	320-69-5 mm	526098 527958 526623	E3206955
DTB 500 (A)	5	70-91-6 mm	527133 526392 (A)	O/R
DTB 500 (B)	5	380-91-6 mm	527134 526393 (B)	O/R
DTE 10	4	60-18.5-3 mm	526315	O/R
DTE 3	4	25-16-3 mm	522716	E0251634
DTE 6	4	40-15-3 mm	507051	E0401534
DTE 8	4	45-19-3 mm	523474	O/R
DTN 10	6	60-31-4 mm	513455	E0603146
DTN 15	6	55-39-4 mm	513702	E0553946

New

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.	
DTN 16	6	55-39-4 mm	513702	E0553946	
DTR 100	4	245-52-4 mm	529267 529268	E2455244	New
DTR 140	7	245-52-4 mm	529267 529268	E2455247	New
KLT 15	6	55-39-4 mm	513702	E0553946	
KLT 25	6	85-39-4 mm	513431	B0853946	
KLT 40	7	85-47-4 mm	518943	B0854747	
KTA 100	6	215-52-5 mm	525977 525351 523889	E2155256	
KTA 140	6	260-52-5 mm	525421 526627 523885	B2605256	
KTA 40	6	135-37-4 mm	523879	O/R	
KTA 50	6	160-37-4 mm	523880	E1603746	New
KTA 60	6	100-52-5 mm	523777 528802	B1005256	
KTA 80/1	6	130-52-5 mm	526886 523851 523778	B1305256	
KTA 80/2	6	130-52-5 mm	526886 523851 523778	B1305256	
KTA 80/3	6	130-52-5 mm	526886 523851 523778	B1305256	
KTA 80/4	6	130-52-5 mm	526886 523851 523778	B1305256	
KTA 80/5	8	130-43-5 mm	528401	O/R	
KTN 15	6	55-39-4 mm	513702	E0553946	
KTN 16	6	55-39-4 mm	513702	E0553946	
KTN 25	6	85-39-4 mm	513431	B0853946	
KTN 26	6	85-39-4 mm	513431	B0853946	
KTN 40	7	85-47-4 mm	518943	B0854747	
KTN 41	7	85-47-4 mm	518943	B0854747	
KTR 100	7	245-52-4 mm	529267 529268	E2455247	New
KTR 140	7	245-52-4 mm	529267 529268	E2455247	New
TL 10	6	60-31-4 mm	513455	E0603146	
TL 15	6	55-39-4 mm	513702	E0553946	
TL 20	6	70-39-4 mm	516093	O/R	
TL 25	6	85-39-4 mm	513431	B0853946	
TL 6	6	40-31-4 mm	513878	O/R	
TLD 10	6	60-31-4 mm	513455	E0603146	
TLD 12	6	60-31-4 mm	513455	E0603146	
TLV 10	6	60-31-4 mm	513455	E0603146	
TLV 15	6	55-39-4 mm	513702	E0553946	
TLV 25	6	85-39-4 mm	513431	B0853946	
TLV 3	6	40-15-3 mm	507051	E0401536	
TLV 6	6	40-31-4 mm	513878	O/R	
TR 10	7	60-31-4 mm	513455	E0603147	
TR 15DV	7	55-39-4 mm	513702	E0553947	
TR 20	6	70-39-4 mm	516093	O/R	

Coloured blue = in STOCK 24h | O/R = on request

For Schmalz, Republic, other brands, or other models, please contact us

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.
TR 20DV	7	70-39-4 mm	516093	O/R
TR 25DV	7	85-39-4 mm	513431	B0853947
TR 26DV	7	85-39-4 mm	513431	B0853947
TR 3	4	40-15-3 mm	507051	E0401534
TR 40DE	6	85-47-4 mm	518943	B0854746
TR 40DV	7	85-47-4 mm	518943	B0854747
TR 40V	6	85-47-4 mm	518943	B0854746
TR 41DV	7	85-47-4 mm	518943	B0854747
TR 41V	6	85-47-4 mm	518943	B0854746
TR 60	6	95-51-6 mm	515642	O/R
TR 60D	6	95-51-6 mm	515642	O/R
TR 60DE	6	95-51-6 mm	515642	O/R
TR 60DV	7	95-51-6 mm	515642	O/R
TR 60V	6	95-51-6 mm	515642	O/R
TR 61DV	7	95-51-6 mm	515642	O/R
TR 61V	6	95-51-6 mm	515642	O/R
TR 80D	6	95-59-6 mm	526311	E0955966
TR 80DVV	7	95-59-6 mm	526311	E0955967
TR 80V	6	95-59-6 mm	526311	E0955966
TR 81DVV	7	95-59-6 mm	526311	E0955967
VFT 100	4	230-40-5 mm	524002	E2304054
VFT 140	4	180-55-6 mm	524003 523556	O/R
VFT 180	4	240-55-6 mm	524004 523557	O/R
VFT 25	4	120-27-4 mm	507106	O/R
VFT 250	4	320-55-6 mm	523399	O/R
VFT 40	4	190-27-4 mm	507107 524007	O/R
VFT 60	4	200-34-4 mm	524009 507108	E2003444
VFT 80	4	180-40-5 mm	524011 520201 507109	O/R
VLT 10	6	60-31-4 mm	513455	E0603146
VLT 15	6	55-39-4 mm	513702	E0553946
VLT 25	6	85-39-4 mm	513431	B0853946
VLT 40	7	85-47-4 mm	518943	B0854747
VLT 6	6	40-31-4 mm	513878	O/R
VLT 60	7	95-47-4 mm	526577	O/R
VTA 100	4	215-52-5 mm	525977 525351 523889	E2155254
VTA 140	4	260-52-5 mm	525421 526627 523885	B2605254
VTA 60	4	130-52-5 mm	526886 523851 523778	B1305254
VTA 80	4	130-52-5 mm	526886 523851 523778	B1305254
VTB 180	5	320-69-5 mm	526098 527958 526623	E3206955
VTB 250	5	320-69-5 mm	526098 527958 526623	E3206955

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.	
VTB 500 (A)	5	70-91-6 mm	527133 526392 (A)	0/R	
VTB 500 (B)	5	380-91-6 mm	527134 526393 (B)	0/R	
VTE 10	4	60-18.5-3 mm	526315	0/R	
VTE 3	4	25-16-3 mm	522716	E0251634	
VTE 6	4	40-15-3 mm	507051	E0401534	
VTE 8	4	45-19-3 mm	523474	0/R	
VTN 10	6	60-31-4 mm	513455	E0603146	
VTN 15	6	55-39-4 mm	513702	E0553946	
VTN 16	6	55-39-4 mm	513702	E0553946	
VTN 25	6	85-39-4 mm	513431	B0853946	
VTN 26	6	85-39-4 mm	513431	B0853946	
VTN 40	7	85-47-4 mm	518943	B0854747	
VTN 41	7	85-47-4 mm	518943	B0854747	
VTN 60	7	95-47-4 mm	526577	0/R	
VTR 100	4	245-52-4 mm	529267 529268	E2455244	New
VTR 140	4	245-52-4 mm	529267 529268	E2455244	New

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.
CBF 15	4	66-34-4 mm	04009564010 04101754010	E0663444
CBF 1515	8	66-34-4 mm	04009564010 04101754010	E0663444 (x2)
CBF 25	4	95-38-5 mm	04009565010 04100888010	E0953854
CBF 2525	8	95-38-5 mm	04009565010 04100888010	E0953854 (x2)
CBF 40	5	120-40-5 mm	04041811011 04100889010 04KG7810211 04100889011	E1204055
CBF 4040	10	120-40-5 mm	04041811011 04100889010 04KG7810211 04100889011	E1204055 (x2)
CBN 2435	4	120-40-5 mm	04041811011 04100889010 04KG7810211 04100889011	E1204054 (+ set E0953854)
CBN 2435	4	95-38-5 mm	04009565010 04100888010	E0953854 (+ set E1204055)
CBN 2456	4	95-38-5 mm	04009565010 04100888010	E0953854 (+ 04039395010)
CBN 2456 (+ set E0953854)	8	147-58-7 mm	04039395010	O/R
CBN 3556	4	120-40-5 mm	04041811011 04100889010 04KG7810211 04100889011	E1204054 (+ 04039395010)
CBN 3556 (+ set E1204055)	9	147-58-7 mm	04039395010	O/R
CBS 6	4	120-40-5 mm	04041811011 04100889010 04KG7810211 04100889011	E1204054
CBS 62	8	147-58-7 mm	04039395010	O/R
CBX 15	8	66-34-4 mm	04009564010 04101754010	E0663444 (x2)
CBX 25	8	95-38-5 mm	04009565010 04100888010	E0953854 (x2)
CBX 40	8	120-40-5 mm	04041811011 04100889010 04KG7810211 04100889011	E1204054 (x2)
CBX 62	8	147-58-7 mm	04039395010	O/R
CBXP 6060 / 6060A	8	147-58-7 mm	04039395010	O/R
KD 1501	5	120-40-5 mm	04041811011 04100889010 04KG7810211 04100889011	E1204055
KHA 400	6	77-32.5-4 mm	04039398010	O/R
KRA 10	6	230-58-8 mm	04036531010	O/R
KRA 8	6	162-51-7 mm	04007480010 04101504010 04KG7930101 04KG793010	O/R
KRF 08	4	41-32-4 mm	04101753010	O/R
KRF 15	4	66-34-4 mm	04009564010 04101754010	E0663444
KRF 25	4	95-38-5 mm	04009565010 04100888010	E0953854
KRF 40	5	120-40-5 mm	04041811011 04100889010 04KG7810211 04100889011	E1204055
KRF 70	6	162-51-7 mm	04007480010 04101504010 04KG7930101 04KG793010	O/R
KRH 8	6	162-51-7 mm	04007480010 04101504010 04KG7930101 04KG793010	O/R
KRS 1	4	41-32-4 mm	04101753010	O/R

Pump Model	Set	Dimensions	Vane Reference	Asein Ref.
KRS 3	4	66-34-4 mm	04009564010 04101754010	E0663444
KRS 40	5	120-40-5 mm	04041811011 04100889010 04KG7810211 04100889011	E1204055
KRS 5	4	95-38-5 mm	04009565010 04100888010	E0953854
KRS 6	4	120-40-5 mm	04041811011 04100889010 04KG7810211 04100889011	E1204054
KRS 7D	4	147-58-7 mm	04039395010	O/R
KRS 8	6	162-51-7 mm	04007480010 04101504010 04KG7930101 04KG793010	O/R
KRX 1	4	41-32-4 mm	04101753010	O/R
KRX 3	4	66-34-4 mm	04009564010 04101754010	E0663444
KRX 5	4	95-38-5 mm	04009565010 04100888010	E0953854
KRX 6	4	120-40-5 mm	04041811011 04100889010 04KG7810211 04100889011	E1204054
KRX 7A	4	147-58-7 mm	04039395010	O/R
KZ 201	4	41-32-4 mm	04101753010	O/R



ASEIN



Carrer Enric Prat de la Riba, 10,
08830 Sant Boi de Llobregat,
Barcelona